NCPDP Version D.0 Commercial Payer Sheet

GENERAL INFORMATION

Payer Name: Agelity	Date: 07/01/020	Date: 07/01/020				
Plan Name/Group Name: Agelity	BIN: 009265	PCN: Blank fill				
Plan Name/Group Name:	BIN: 610198	PCN: Blank fill				
Plan Name/Group Name:	BIN: 012965	PCN: Blank fill				
Plan Name/Group Name: Agelity – ProCare Program						
Processor: ProCare Rx	Processor: ProCare Rx					
Effective as of: 09/21/2020	NCPDP Telecommunication Standard Version/Release #: D.Ø					
NCPDP Data Dictionary Version Date: Ø7/2ØØ7	NCPDP External Code List Version Date: 10/2018					
Contact/Information Source:						
Certification: Not Required						
Provider Relations Help Desk Info						
Other versions supported: NONE						

OTHER TRANSACTIONS SUPPORTED

	Transaction Code	Transaction Name
Ī	B1	Claim Billing
	B2	Claim Reversal

FIELD LEGEND FOR COLUMNS

Payer Usage Column	Value	Value Explanation	
MANDATORY	M	The Field is mandatory for the Segment in the designated Transaction.	No
REQUIRED	R	The Field has been designated with the situation of "Required" for the Segment in the designated Transaction.	No
QUALIFIED REQUIREMENT	RW	"Required when". The situations designated have qualifications for usage ("Required if x", "Not required if y").	Yes

Fields that are not used in the Claim Billing/Claim Rebill transactions and those that do not have qualified requirements (i.e. not used) for this payer are excluded from the template.

CLAIM BILLING/CLAIM REBILL TRANSACTION

Transaction Header Segment Questions	Check	Claim Billing/Claim Rebill		
		If Situational, Payer Situation		
This Segment is always sent	X			
Source of certification IDs required in Software				
Vendor/Certification ID (11Ø-AK) is Payer Issued				
Source of certification IDs required in Software				
Vendor/Certification ID (11Ø-AK) is Switch/VAN issued				
Source of certification IDs required in Software	X			
Vendor/Certification ID (11Ø-AK) is Not used				

	Transaction Header Segment			Claim Billing/Claim Rebill
Field #	NCPDP Field Name	Value	Payer	Payer Situation
			Usage	
1Ø1-A1	BIN NUMBER	See list above	M	BIN found on card
1Ø2-A2	VERSION/RELEASE NUMBER	DØ	M	
1Ø3-A3	TRANSACTION CODE	B1	M	Claim Billing
1Ø4-A4	PROCESSOR CONTROL NUMBER	Blank fill	М	Blank fill
1Ø9-A9	TRANSACTION COUNT	Ø1 – Ø4	M	
2Ø2-B2	SERVICE PROVIDER ID QUALIFIER	Ø1 = National Provider ID	M	
2Ø1-B1	SERVICE PROVIDER ID	NPI	M	
4Ø1-D1	DATE OF SERVICE		M	
11Ø-AK	SOFTWARE VENDOR/CERTIFICATION ID	Blank fill	M	Blank fill

Insurance Segment Questions	Check	Claim Billing/Claim Rebill If Situational, Payer Situation
This Segment is always sent	X	

Insurance Segment		Claim Billing/Claim Rebill
Segment Identification (111-AM) = "Ø4"		

Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
3Ø2-C2	CARDHOLDER ID		M	Member's ID as shown on card.
3Ø3-C3	PERSON CODE		RW	Imp Guide: Required if needed to uniquely identify the family members within the Cardholder ID.
				Payer Requirement: Required when provided on the ID card.
3Ø6-C6	PATIENT RELATIONSHIP CODE		RW	Imp Guide: Required if needed to uniquely identify the relationship of the Patient to the Cardholder. Payer Requirement: Required.
3Ø9-C9	ELIGIBILITY CLARIFICATION CODE		RW	Imp Guide: Required if needed for receiver inquiry validation and/or determination, when eligibility is not maintained at the dependent level. Required in special situations as defined by the code to clarify the eligibility of an individual, which may extend coverage.
3Ø1-C1	GROUP ID		RW	Imp Guide: Required if necessary for state/federal/regulatory agency programs. Required if needed for pharmacy claim processing and payment Payer Requirement: Required on all claims.

Patient Segment Questions	Check	Claim Billing/Claim Rebill If Situational, Payer Situation
This Segment is always sent	X	
This Segment is situational		

	Patient Segment Segment Identification (111-AM) = "Ø1"			Claim Billing/Claim Rebill
Field	NCPDP Field Name	Value	Payer Usage	Payer Situation
3Ø4-C4	DATE OF BIRTH		R	
3Ø5-C5	PATIENT GENDER CODE		R	
31Ø-CA	PATIENT FIRST NAME		RW	Imp Guide: Required when the patient has a first name.
244.00	PATIENT LAST NAME		R	Payer Requirement: Required
311-CB				
322-CM	PATIENT STREET ADDRESS		RW	Imp Guide: Optional.
323-CN	PATIENT CITY ADDRESS		RW	Imp Guide: Optional.
324-CO	PATIENT STATE / PROVINCE ADDRESS		RW	Imp Guide: Optional.
325-CP	PATIENT ZIP/POSTAL ZONE		RW	Imp Guide: Optional.
326-CQ	PATIENT PHONE NUMBER		RW	Imp Guide: Optional.
35Ø-HN	PATIENT E-MAIL ADDRESS		RW	Imp Guide: May be submitted for the receiver to relay patient health care communications via the Internet when provided by the patient.

Claim Segment Questions	Check	Claim Billing/Claim Rebill If Situational, Payer Situation
This Segment is always sent	X	
This payer does <i>not</i> support partial fills	X	

	Claim Segment Segment Identification (111-AM) = "Ø7"			Claim Billing/Claim Rebill
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
455-EM	PRESCRIPTION/SERVICE REFERENCE NUMBER QUALIFIER	Ø1 = Rx Billing	M	Claim Billing Imp Guide: For Transaction Code of "B1", in the Claim Segment, the Prescription/Service Reference Number Qualifier (455-EM) is "1" (Rx Billing)
4Ø2-D2	PRESCRIPTION/SERVICE REFERENCE NUMBER		М	
436-E1	PRODUCT/SERVICE ID QUALIFIER	Ø3 = National Drug Code (NDC)	М	
4Ø7-D7	PRODUCT/SERVICE ID		М	
442-E7	QUANTITY DISPENSED		R	
4Ø3-D3	FILL NUMBER		R	
4Ø5-D5	DAYS SUPPLY		R	
		~ N		0 0 10
4Ø6-D6	COMPOUND CODE	Ø1 = Not a Compound Ø2 = Compound	R	See Compound Segment for support of multi-ingredient compounds
4Ø8-D8	DISPENSE AS WRITTEN (DAW/PRODUCT SELECTION CODE)		R	
414-DE	DATE PRESCRIPTION WRITTEN		R	
415-DF	NUMBER OF REFILLS AUTHORIZED		RW	Imp Guide: Required if necessary for plan benefit administration.
419-DJ	PRESCRIPTION ORIGIN CODE		RW	Imp Guide: Required if necessary for plan benefit administration.
354-NX	SUBMISSION CLARIFICATION CODE COUNT	Maximum count of 3.	RW	Imp Guide: Required if Submission Clarification Code (42Ø-DK) is used.
42Ø-DK	SUBMISSION CLARIFICATION CODE		RW	Imp Guide: Required if clarification is needed and value submitted is greater than zero (Ø). Payer Requirement: Required when further explanation is needed for overrides.
460-ET	QUANTITY PRESCRIBED		RW	Imp Guide: Required when the transmission is for a Schedule II drug as defined in 21 CFR 1308.12 and per CMS-0055-F (Compliance Date 9/21/2020. Refer to the Version D.0 Editorial Document). Payer Requirement: (any unique payer requirement(s))
3Ø8-C8	OTHER COVERAGE CODE		RW	Imp Guide: Required if needed by receiver, to communicate a summation of other coverage information that has been collected from other payers. Required for Coordination of Benefits. Payer Requirement: Only used in COB processing.
418-DI	LEVEL OF SERVICE		RW	Imp Guide: Required if this field could result in different coverage, pricing, or patient financial responsibility.

461-EU	PRIOR AUTHORIZATION TYPE CODE	1 = Prior Authorization	RW	Imp Guide: Required if this field could result in different coverage, pricing, or patient financial responsibility. Payer Requirement: Required when value 1 Prior Authorization Number Submitted field is used.
462-EV	PRIOR AUTHORIZATION NUMBER SUBMITTED		RW	Imp Guide: Required if this field could result in different coverage, pricing, or patient financial responsibility. Payer Requirement: Required when 1 in field 461-EU.
995-E2	ROUTE OF ADMINISTRATION		RW	Imp Guide: Required if specified in trading partner agreement. Payer Requirement: Required when Compound Code (4Ø6-D6) = 2 (compound).
147-U7	PHARMACY SERVICE TYPE		RW	Imp Guide: Required when the submitter must clarify the type of services being performed as a condition for proper reimbursement by the payer.

Pricing Segment Questions	Check	Claim Billing/Claim Rebill
		If Situational, <i>Payer Situation</i>
This Segment is always sent	X	

	Pricing Segment Segment Identification (111-AM) = "11"			Claim Billing/Claim Rebill
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
4Ø9-D9	INGREDIENT COST SUBMITTED		R	
438-E3	INCENTIVE AMOUNT SUBMITTED		RW	Imp Guide: Required if its value has an effect on the Gross Amount Due (43Ø-DU) calculation.
412-DC	DISPENSING FEE SUBMITTED		RW	Imp Guide: Required if its value has an effect on the Gross Amount Due (43Ø-DU) calculation.
478-H7	OTHER AMOUNT CLAIMED SUBMITTED COUNT	Maximum count of 3.	RW	Imp Guide: Required if Other Amount Claimed Submitted Qualifier (479-H8) is used.
479-H8	OTHER AMOUNT CLAIMED SUBMITTED QUALIFIER		RW	Imp Guide: Required if Other Amount Claimed Submitted (48Ø- H9) is used.
48Ø-H9	OTHER AMOUNT CLAIMED SUBMITTED		RW	Imp Guide: Required if its value has an effect on the Gross Amount Due (43Ø-DU) calculation.
481-HA	FLAT SALES TAX AMOUNT SUBMITTED		RW	Imp Guide: Required if its value has an effect on the Gross Amount Due (43Ø-DU) calculation.
482-GE	PERCENTAGE SALES TAX AMOUNT SUBMITTED		RW	Imp Guide: Required if its value has an effect on the Gross Amount Due (43Ø-DU) calculation.
483-HE	PERCENTAGE SALES TAX RATE SUBMITTED		RW	Imp Guide: Required if Percentage Sales Tax Amount Submitted (482- GE) and Percentage Sales Tax Basis Submitted (484-JE) are used.

		1		
				Required if this field could result in different pricing.
				Required if needed to calculate Percentage Sales Tax Amount Paid (559-AX).
484-JE	PERCENTAGE SALES TAX BASIS SUBMITTED		RW	Imp Guide: Required if Percentage Sales Tax Amount Submitted (482- GE) and Percentage Sales Tax Rate Submitted (483-HE) are used. Required if this field could result in different pricing.
				Required if needed to calculate Percentage Sales Tax Amount Paid (559-AX).
426-DQ	USUAL AND CUSTOMARY CHARGE		RW	Imp Guide: Required if needed per trading partner agreement.
				Payer Requirement: Required
43Ø-DU	GROSS AMOUNT DUE		R	
423-DN	BASIS OF COST DETERMINATION		RW	Imp Guide: Required if needed for receiver claim/encounter adjudication.

Prescriber Segment Questions	Check	Claim Billing/Claim Rebill If Situational, Payer Situation
This Segment is always sent	X	
This Segment is situational		

	Prescriber Segment Segment Identification (111-AM) = "Ø3"			Claim Billing/Claim Rebill
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
466-EZ	PRESCRIBER ID QUALIFIER	Ø1 = NPI 12 = DEA	R	Imp Guide: Required if Prescriber ID (411-DB) is used. Payer Requirement: Required
411-DB	PRESCRIBER ID		R	Imp Guide: Required if this field could result in different coverage or patient financial responsibility. Required if necessary for state/federal/regulatory agency programs. Payer Requirement: Required
427-DR	PRESCRIBER LAST NAME		RW	Imp Guide: Required when the Prescriber ID (411-DB) is not known. Required if needed for Prescriber ID (411-DB) validation/clarification.

Coordination of Benefits/Other Payments Segment	Check	Claim Billing/Claim Rebill
Questions		If Situational, Payer Situation
This Segment is always sent		
This Segment is situational	X	Required only for secondary, tertiary, etc claims.
Scenario 1 - Other Payer Amount Paid Repetitions Only		
Scenario 2 - Other Payer-Patient Responsibility Amount	X	
Repetitions and Benefit Stage Repetitions Only		
Scenario 3 - Other Payer Amount Paid, Other Payer-		
Patient Responsibility Amount, and Benefit Stage		
Repetitions Present (Government Programs)		

	Coordination of Benefits/Other Payments Segment Segment Identification (111-AM) = "Ø5"			Claim Billing/Claim Rebill Scenario 2- Other Payer-Patient Responsibility Amount Repetitions and Benefit Stage Repetitions Only
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
337-4C	COORDINATION OF BENEFITS/OTHER PAYMENTS COUNT	Maximum count of 9.	M	
338-5C	OTHER PAYER COVERAGE TYPE		M	
339-6C	OTHER PAYER ID QUALIFIER			Imp Guide: Required if Other Payer ID (34Ø-7C) is used.
				Payer Requirement: (any unique payer requirement(s))
34Ø-7C	OTHER PAYER ID			Imp Guide: Required if identification of the Other Payer is necessary for claim/encounter adjudication.
				Payer Requirement: (any unique payer requirement(s))
443-E8	OTHER PAYER DATE			Imp Guide: Required if identification of the Other Payer Date is necessary for claim/encounter adjudication.
				Payer Requirement: (any unique payer requirement(s))
471-5E	OTHER PAYER REJECT COUNT	Maximum count of 5.		Imp Guide: Required if Other Payer Reject Code (472-6E) is used.
				Payer Requirement: (any unique payer requirement(s))
472-6E	OTHER PAYER REJECT CODE			Imp Guide: Required when the other payer has denied the payment for the billing, designated with Other Coverage Code (3Ø8-C8) = 3 (Other Coverage Billed – claim not covered).
				Payer Requirement: (any unique payer requirement(s))
353-NR	OTHER PAYER-PATIENT RESPONSIBILITY AMOUNT COUNT	Maximum count of 25.		Imp Guide: Required if Other Payer-Patier Responsibility Amount Qualifier (351-NP) used.
				Payer Requirement: (any unique payer requirement(s))
351-NP	OTHER PAYER-PATIENT RESPONSIBILITY AMOUNT QUALIFIER			Imp Guide: Required if Other Payer-Patier Responsibility Amount (352-NQ) is used.
				Payer Requirement: (any unique payer requirement(s))
352-NQ	OTHER PAYER-PATIENT RESPONSIBILITY AMOUNT			Imp Guide: Required if necessary for patie financial responsibility only billing.

	,		,
			Required if necessary for
			state/federal/regulatory agency programs.
			Not used for non-governmental agency
			programs if Other Payer Amount Paid (431-DV) is submitted.
			Payer Requirement: (any unique payer requirement(s))
392-MU	BENEFIT STAGE COUNT	Maximum count of 4.	Imp Guide: Required if Benefit Stage Amount (394-MW) is used.
			Payer Requirement: (any unique payer requirement(s))
393-MV	BENEFIT STAGE QUALIFIER		Imp Guide: Required if Benefit Stage Amount (394-MW) is used.
			Payer Requirement: (any unique payer requirement(s))
394-MW	BENEFIT STAGE AMOUNT		Imp Guide: Required if the previous payer
			has financial amounts that apply to
			Medicare Part D beneficiary benefit stages.
			This field is required when the plan is a
			participant in a Medicare Part D program
			that requires reporting of benefit stage
			specific financial amounts.
			Required if necessary for
			state/federal/regulatory agency programs.
			agency programs.
			Payer Requirement: (any unique payer
			requirement(s))

Compound Segment Questions	Check	Claim Billing/Claim Rebill If Situational, Payer Situation
This Segment is always sent		
This Segment is situational	X	Required when Compound Code (4Ø6-D6) = 2 (compound).

	Compound Segment Segment Identification (111-AM) = "1Ø"			Claim Billing/Claim Rebill
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
45Ø-EF	COMPOUND DOSAGE FORM DESCRIPTION CODE		M	
451-EG	COMPOUND DISPENSING UNIT FORM INDICATOR		M	
447-EC	COMPOUND INGREDIENT COMPONENT COUNT	Maximum of 25 ingredients.	M	Payer Requirement: Maximum of 1Ø ingredients.
488-RE	COMPOUND PRODUCT ID QUALIFIER	Ø3 = National Drug Code	М	
489-TE	COMPOUND PRODUCT ID		М	
448-ED	COMPOUND INGREDIENT QUANTITY		М	
449-EE	COMPOUND INGREDIENT DRUG COST		RW	Imp Guide: Required if needed for receiver claim determination when multiple products are billed.
				Payer Requirement: Required for each ingredient.

1. CLAIM BILLING ACCEPTED/PAID (OR DUPLICATE OF PAID) RESPONSE

GENERAL INFORMATION

Payer Name: Agelity	Date: 07/01/2020	
Plan Name/Group Name: Agelity	BIN: See list above	PCN: Blank fill

CLAIM BILLING/CLAIM REBILL PAID (OR DUPLICATE OF PAID) RESPONSE

Response Transaction Header Segment Questions	Check	Claim Billing/Claim Rebill Accepted/Paid (or Duplicate of Paid) If Situational, Payer Situation
This Segment is always sent	X	

	Response Transaction Header Segment			Claim Billing/Claim Rebill – Accepted/Paid (or Duplicate of Paid)
Field #	NCPDP Field Name	Value	Payer	Payer Situation
			Usage	
1Ø2-A2	VERSION/RELEASE NUMBER	DØ	M	
1Ø3-A3	TRANSACTION CODE	B1	М	Claim Billing
1Ø9-A9	TRANSACTION COUNT	Same value as in request	M	
5Ø1-F1	HEADER RESPONSE STATUS	A = Accepted	М	
2Ø2-B2	SERVICE PROVIDER ID QUALIFIER	Same value as in request	М	
2Ø1-B1	SERVICE PROVIDER ID	Same value as in request	М	
4Ø1-D1	DATE OF SERVICE	Same value as in request	М	

Response Message Header Segment Questions	Check	Claim Billing/Claim Rebill Accepted/Paid (or Duplicate of Paid) If Situational, Payer Situation	
This Segment is always sent			
This Segment is situational	X	Provide general information when used for transmission-level messaging.	

	Response Message Segment Segment Identification (111-AM) = "2Ø"			Claim Billing/Claim Rebill – Accepted/Paid (or Duplicate of Paid)
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
5Ø4-F4	MESSAGE		RW	Imp Guide: Required if text is needed for clarification or detail.

Response Insurance Header Segment Questions	Check	Claim Billing/Claim Rebill Accepted/Paid (or Duplicate of Paid)
		If Situational, <i>Payer Situation</i>
This Segment is always sent	X	

	Response Insurance Segment Segment Identification (111-AM) = "25"			Claim Billing/Claim Rebill – Accepted/Paid (or Duplicate of Paid)
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
3Ø1-C1	GROUP ID		RW	Imp Guide: Required if needed to identify the actual cardholder or employer group, to identify appropriate group number, when available. Required to identify the actual group that was used when multiple group coverages exist.
524-FO	PLAN ID		RW	Imp Guide: Optional.

Response Status Segment Questions		Claim Billing/Claim Rebill Accepted/Paid (or Duplicate of Paid) If Situational, Payer Situation
This Segment is always sent	X	

	Response Status Segment Segment Identification (111-AM) = "21"			Claim Billing/Claim Rebill – Accepted/Paid (or Duplicate of Paid)
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
112-AN	TRANSACTION RESPONSE STATUS	P=Paid D=Duplicate of Paid	M	
5Ø3-F3	AUTHORIZATION NUMBER		RW	Imp Guide: Required if needed to identify the transaction.
526-FQ	ADDITIONAL MESSAGE INFORMATION		RW	Imp Guide: Required when additional text is needed for clarification or detail.

Response Claim Segment Questions		Claim Billing/Claim Rebill Accepted/Paid (or Duplicate of Paid) If Situational, Payer Situation
This Segment is always sent	X	

	Response Claim Segment Segment Identification (111-AM) = "22"			Claim Billing/Claim Rebill – Accepted/Paid (or Duplicate of Paid)
Field #	NCPDP Field Name	Value	Payer	Payer Situation
			Usage	
455-EM	PRESCRIPTION/SERVICE REFERENCE NUMBER QUALIFIER	1 = RxBilling	M	Imp Guide: For Transaction Code of "B1" or "B3", in the Response Claim Segment, the Prescription/Service Reference Number Qualifier (455-EM) is "1" (Rx Billing).
4Ø2-D2	PRESCRIPTION/SERVICE REFERENCE NUMBER		M	

Response Pricing Segment Questions	Check	Claim Billing/Claim Rebill Accepted/Paid (or Duplicate of Paid)
		If Situational, Payer Situation
This Segment is always sent	X	

	Response Pricing Segment Segment Identification (111-AM) = "23"			Claim Billing/Claim Rebill – Accepted/Paid (or Duplicate of Paid)
Field #	NCPDP Field Name	Value	Payer	Payer Situation
			Usage	
5Ø5-F5	PATIENT PAY AMOUNT		R	
5Ø6-F6	INGREDIENT COST PAID		R	
5Ø7-F7	DISPENSING FEE PAID		RW	
557-AV	TAX EXEMPT INDICATOR			Imp Guide: Required if the sender (health plan) and/or patient is tax exempt and exemption applies to this billing.
558-AW	FLAT SALES TAX AMOUNT PAID			Imp Guide: Required if Flat Sales Tax Amount Submitted (481-HA) is greater than zero (Ø) or if Flat Sales Tax Amount Paid (558-AW) is used to arrive at the final reimbursement.
559-AX	PERCENTAGE SALES TAX AMOUNT PAID			Imp Guide: Required if this value is used to arrive at the final reimbursement. Required if Percentage Sales Tax Amount Submitted (482-GE) is

		T	ı	
				Required if Percentage Sales Tax Rate Paid (56Ø-AY) and Percentage Sales Tax Basis Paid (561-AZ) are used.
56Ø-AY	PERCENTAGE SALES TAX RATE PAID			Imp Guide: Required if Percentage Sales Tax Amount Paid (559-AX) is greater than zero (Ø).
563-J2	OTHER AMOUNT PAID COUNT	Maximum count of 3.	RW	Imp Guide: Required if Other Amount Paid (565-J4) is used. Payer Requirement: Will be
				returned when submission includes Other Amount Claimed Submitted.
564-J3	OTHER AMOUNT PAID QUALIFIER		RW	Imp Guide: Required if Other Amount Paid (565-J4) is used. Payer Requirement: Will be
505 14	OTUED AMOUNT DAID		DIA	returned when submission includes Other Amount Claimed Submitted.
565-J4	OTHER AMOUNT PAID		RW	Imp Guide: Required if this value is used to arrive at the final reimbursement.
				Required if Other Amount Claimed Submitted (48Ø-H9) is greater than zero (Ø).
				Payer Requirement: Will be returned when submission includes Other Amount Claimed Submitted.
566-J5	OTHER PAYER AMOUNT RECOGNIZED		RW	Imp Guide: Required if this value is used to arrive at the final reimbursement.
				Required if Other Payer Amount Paid (431-DV) is greater than zero (Ø) and Coordination of Benefits/Other Payments Segment is supported.
				Payer Requirement: Same as Imp Guide.
5Ø9-F9 522-FM	TOTAL AMOUNT PAID BASIS OF REIMBURSEMENT	3 - Ingredient Cost Poduced to	R RW	Imp Guide: Required if Ingredient
JZZ-FIVI	DETERMINATION	3 = Ingredient Cost Reduced to AWP Less X% Pricing 4 = Usual & Customary Paid as Submitted	I IVV	Cost Paid (5Ø6-F6) is greater than zero (Ø).
		6 = MAC Pricing Ingredient Cost Paid 15 =Patient Pay Amount		Required if Basis of Cost Determination (432-DN) is submitted on billing.
				Payer Requirement: Same as Imp Guide.
523-FN	AMOUNT ATTRIBUTED TO SALES TAX		RW	Imp Guide: Required if Patient Pay Amount (5Ø5-F5) includes sales tax that is the financial responsibility of the member but is not also included in any of the other fields that add up to Patient Pay Amount.
513-FD	REMAINING DEDUCTIBLE AMOUNT		RW	Imp Guide: Provided for informational purposes only.

517-FH	AMOUNT APPLIED TO PERIODIC DEDUCTIBLE	RW	Imp Guide: Required if Patient Pay Amount (5Ø5-F5) includes deductible
518-FI	AMOUNT OF COPAY	RW	Imp Guide: Required if Patient Pay Amount (5Ø5-F5) includes copay as patient financial responsibility.
52Ø-FK	AMOUNT EXCEEDING PERIODIC BENEFIT MAXIMUM	RW	Imp Guide: Required if Patient Pay Amount (5Ø5-F5) includes amount exceeding periodic benefit maximum.

Response DUR/PPS Segment Questions	Check	Claim Billing/Claim Rebill Accepted/Paid (or Duplicate of Paid) If Situational, Payer Situation
This Segment is always sent		
This Segment is situational	X	When DUR information applicable

	Response DUR/PPS Segment Segment Identification (111-AM) = "24"			Claim Billing/Claim Rebill – Accepted/Paid (or Duplicate of Paid)
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
567-J6	DUR/PPS RESPONSE CODE COUNTER	Maximum 9 occurrences supported.	RW	Imp Guide: Required if Reason For Service Code (439-E4) is used.
439-E4	REASON FOR SERVICE CODE		RW	Imp Guide: Required if utilization conflict is detected.
528-FS	CLINICAL SIGNIFICANCE CODE			Imp Guide: Required if needed to supply additional information for the utilization conflict.
529-FT	OTHER PHARMACY INDICATOR		RW	Imp Guide: Required if needed to supply additional information for the utilization conflict.
53Ø-FU	PREVIOUS DATE OF FILL		RW	Imp Guide: Required if needed to supply additional information for the utilization conflict. Required if Quantity of Previous Fill (531-FV) is used.
531-FV	QUANTITY OF PREVIOUS FILL		RW	Imp Guide: Required if needed to supply additional information for the utilization conflict. Required if Previous Date Of Fill (53Ø-FU) is used.
532-FW	DATABASE INDICATOR		RW	Imp Guide: Required if needed to supply additional information for the utilization conflict.
533-FX	OTHER PRESCRIBER INDICATOR		RW	Imp Guide: Required if needed to supply additional information for the utilization conflict.
544-FY	DUR FREE TEXT MESSAGE		RW	Imp Guide: Required if needed to supply additional information for the utilization conflict.

CLAIM BILLING ACCEPTED/REJECTED RESPONSE

Response Transaction Header Segment Questions	Check	Claim Billing/Claim Rebill Accepted/Rejected
		If Situational, <i>Payer Situation</i>
This Segment is always sent	X	

2.

	Response Transaction Header Segment			Claim Billing/Claim Rebill – Accepted/Rejected
Field #	NCPDP Field Name	Value	Payer	Payer Situation
			Usage	
1Ø2-A2	VERSION/RELEASE NUMBER	DØ	M	
1Ø3-A3	TRANSACTION CODE	B1	M	Claim Billing
1Ø9-A9	TRANSACTION COUNT	Same value as in request	М	
5Ø1-F1	HEADER RESPONSE STATUS	A = Accepted	M	
2Ø2-B2	SERVICE PROVIDER ID QUALIFIER	Same value as in request	М	
2Ø1-B1	SERVICE PROVIDER ID	Same value as in request	M	
4Ø1-D1	DATE OF SERVICE	Same value as in request	М	

Response Message Header Segment Questions	Check	Claim Billing/Claim Rebill Accepted/Paid (or Duplicate of Paid) If Situational, Payer Situation
This Segment is always sent		
This Segment is situational	X	Provided when additional message text

	Response Message Segment Segment Identification (111-AM) = "2Ø"			Claim Billing/Claim Rebill – Accepted/Paid (or Duplicate of Paid)
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
5Ø4-F4	MESSAGE			Imp Guide: Required if text is needed for clarification or detail.

Response Status Segment Questions	Check	Claim Billing/Claim Rebill Accepted/Rejected If Situational, Payer Situation
This Segment is always sent	X	

	Response Status Segment Segment Identification (111-AM) = "21"			Claim Billing/Claim Rebill – Accepted/Rejected
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
112-AN	TRANSACTION RESPONSE STATUS	R = Reject	М	
51Ø-FA	REJECT COUNT	Maximum count of 5.	R	
511-FB	REJECT CODE		R	
546-4F	REJECT FIELD OCCURRENCE INDICATOR		RW	Imp Guide: Required if a repeating field is in error, to identify repeating field occurrence.
13Ø-UF	ADDITIONAL MESSAGE INFORMATION COUNT	Maximum count of 25.	RW	Imp Guide: Required if Additional Message Information (526-FQ) is used.
132-UH	ADDITIONAL MESSAGE INFORMATION QUALIFIER		RW	Imp Guide: Required if Additional Message Information (526-FQ) is used.
526-FQ	ADDITIONAL MESSAGE INFORMATION		RW	Imp Guide: Required when additional text is needed for clarification or detail.

Response Claim Segment Questions	Check	Claim Billing/Claim Rebill Accepted/Rejected If Situational, Paver Situation
This Segment is always sent	X	ii ottaational, rayor ottaation

	Response Claim Segment Segment Identification (111-AM) = "22"			Claim Billing/Claim Rebill – Accepted/Rejected
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation

455-EM	PRESCRIPTION/SERVICE REFERENCE NUMBER QUALIFIER	1 = RxBilling	М	Imp Guide: For Transaction Code of "B1" or "B3", in the Response Claim Segment, the Prescription/Service Reference Number Qualifier (455- EM) is "1" (Rx Billing).
4Ø2-D2	PRESCRIPTION/SERVICE REFERENCE NUMBER		M	

Response DUR/PPS Segment Questions	Check	Claim Billing/Claim Rebill Accepted/Paid (or Duplicate of Paid) If Situational, Payer Situation
This Segment is always sent		
This Segment is situational	X	When DUR information applicable

	Response DUR/PPS Segment Segment Identification (111-AM) = "24"			Claim Billing/Claim Rebill – Accepted/Paid (or Duplicate of Paid)
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
567-J6	DUR/PPS RESPONSE CODE COUNTER	Maximum 9 occurrences supported.		Imp Guide: Required if Reason For Service Code (439-E4) is used.
439-E4	REASON FOR SERVICE CODE			Imp Guide: Required if utilization conflict is detected.
529-FT	OTHER PHARMACY INDICATOR			Imp Guide: Required if needed to supply additional information for the utilization conflict.
53Ø-FU	PREVIOUS DATE OF FILL			Imp Guide: Required if needed to supply additional information for the utilization conflict.
				Required if Quantity of Previous Fill (531-FV) is used.
531-FV	QUANTITY OF PREVIOUS FILL			Imp Guide: Required if needed to supply additional information for the utilization conflict.
				Required if Previous Date Of Fill (53Ø-FU) is used.
532-FW	DATABASE INDICATOR			Imp Guide: Required if needed to supply additional information for the utilization conflict.
533-FX	OTHER PRESCRIBER INDICATOR			Imp Guide: Required if needed to supply additional information for the utilization conflict.
544-FY	DUR FREE TEXT MESSAGE			Imp Guide: Required if needed to supply additional information for the utilization conflict.

Response Coordination of Benefits/Other Payers Segment Questions	Check	Claim Billing/Claim Rebill Accepted/Paid (or Duplicate of Paid) If Situational, Payer Situation
This Segment is always sent		
This Segment is situational	X	When other payer information exists

	Response Coordination of Benefits/Other Payers Segment Segment Identification (111-AM) = "28"			Claim Billing/Claim Rebill – Accepted/Paid (or Duplicate of Paid)
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
355-NT	OTHER PAYER ID COUNT	Maximum count of 3.	M	
338-5C	OTHER PAYER COVERAGE TYPE	Ø1 = Primary	М	

339-6C	OTHER PAYER ID QUALIFIER	Ø3 - BIN	Imp Guide: Required if Other Payer ID (34Ø-7C) is used.
34Ø-7C	OTHER PAYER ID		Imp Guide: Required if other insurance information is available for coordination of benefits.
991-MH	OTHER PAYER PROCESSOR CONTROL NUMBER		Imp Guide: Required if other insurance information is available for coordination of benefits.
356-NU	OTHER PAYER CARDHOLDER ID		Imp Guide: Required if other insurance information is available for coordination of benefits.
992-MJ	OTHER PAYER GROUP ID		Imp Guide: Required if other insurance information is available for coordination of benefits.
142-UV	OTHER PAYER PERSON CODE		Imp Guide: Required if needed to uniquely identify the family members within the Cardholder ID, as assigned by the other payer.

3. CLAIM BILLING REJECTED/REJECTED RESPONSE

Response Transaction Header Segment Questions	Check	Claim Billing/Claim Rebill Rejected/Rejected If Situational. Paver Situation
This Segment is always sent	X	ii Situational, Payer Situation

	Response Transaction Header Segment			Claim Billing/Claim Rebill – Rejected/Rejected
Field #	NCPDP Field Name	Value	Payer	Payer Situation
			Usage	
1Ø2-A2	VERSION/RELEASE NUMBER	DØ	M	
1Ø3-A3	TRANSACTION CODE	B1	M	Claim Billing
1Ø9-A9	TRANSACTION COUNT	Same value as in request	M	
5Ø1-F1	HEADER RESPONSE STATUS	R = Rejected	M	
2Ø2-B2	SERVICE PROVIDER ID QUALIFIER	Same value as in request	M	
2Ø1-B1	SERVICE PROVIDER ID	Same value as in request	М	
4Ø1-D1	DATE OF SERVICE	Same value as in request	М	

Response Message Header Segment Questions	Check	Claim Billing/Claim Rebill Accepted/Paid (or Duplicate of Paid) If Situational, Payer Situation	
This Segment is always sent			
This Segment is situational	X	Provide general information when used for transmission-level messaging.	

	Response Message Segment Segment Identification (111-AM) = "2Ø"			Claim Billing/Claim Rebill – Accepted/Paid (or Duplicate of Paid)
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
5Ø4-F4	MESSAGE			Imp Guide: Required if text is needed for clarification or detail.

Response Status Segment Questions	Check	Claim Billing/Claim Rebill Rejected/Rejected
		If Situational, <i>Payer Situation</i>
This Segment is always sent	X	

	Response Status Segment Segment Identification (111-AM) = "21"			Claim Billing/Claim Rebill – Rejected/Rejected
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
112-AN	TRANSACTION RESPONSE STATUS	R = Reject	M	
51Ø-FA	REJECT COUNT	Maximum count of 5.	R	
511-FB	REJECT CODE		R	
546-4F	REJECT FIELD OCCURRENCE INDICATOR		RW	Imp Guide: Required if a repeating field is in error, to identify repeating field occurrence.
13Ø-UF	ADDITIONAL MESSAGE INFORMATION COUNT	Maximum count of 9.	RW	Imp Guide: Required if Additional Message Information (526-FQ) is used.
132-UH	ADDITIONAL MESSAGE INFORMATION QUALIFIER		RW	Imp Guide: Required if Additional Message Information (526-FQ) is used.
526-FQ	ADDITIONAL MESSAGE INFORMATION		RW	Imp Guide: Required when additional text is needed for clarification or detail.

Response Insurance Header Segment Questions	Check	Claim Billing/Claim Rebill Accepted/Paid (or Duplicate of Paid)
		If Situational, Payer Situation
This Segment is always sent	X	

	Response Insurance Segment Segment Identification (111-AM) = "25"			Claim Billing/Claim Rebill – Accepted/Paid (or Duplicate of Paid)
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
524-FO	PLAN ID			Imp Guide: Required if needed to identify the actual plan parameters, benefit, or coverage criteria, when available. Required to identify the actual plan ID that was used when multiple group coverages exist. Required if needed to contain the actual plan ID if unknown to the receiver.

4.

CLAIM REVERSAL REQUEST

GENERAL INFORMATION

Payer Name: Agelity	Date: 04/01/2023	
Plan Name/Group Name: Agelity	BIN: See list above	PCN: Blank fill

FIELD LEGEND FOR COLUMNS

Payer Usage Column	Value	Explanation	Payer Situation Column
MANDATORY	M	The Field is mandatory for the Segment in the designated Transaction.	No
REQUIRED	R	The Field has been designated with the situation of "Required" for the Segment in the designated Transaction.	No
QUALIFIED REQUIREMENT	RW	"Required when". The situations designated have qualifications for usage ("Required if x", "Not required if y").	Yes

Question	Answer
What is your reversal window? (If transaction is billed today	9Ø days
what is the timeframe for reversal to be submitted?)	-

CLAIM REVERSAL TRANSACTION

Transaction Header Segment Questions	Check	Claim Reversal
		If Situational, Payer Situation
This Segment is always sent	X	
Source of certification IDs required in Software		
Vendor/Certification ID (11Ø-AK) is Payer Issued		
Source of certification IDs required in Software		
Vendor/Certification ID (11Ø-AK) is Switch/VAN issued		
Source of certification IDs required in Software	X	
Vendor/Certification ID (11Ø-AK) is Not used		

	Transaction Header Segment			Claim Reversal
Field #	NCPDP Field Name	Value	Payer	Payer Situation
			Usage	
1Ø1-A1	BIN NUMBER	See list above	М	BIN from card
1Ø2-A2	VERSION/RELEASE NUMBER	DØ	М	
1Ø3-A3	TRANSACTION CODE	B2	М	Claim Reversal
1Ø4-A4	PROCESSOR CONTROL NUMBER	Blank fill	M	Blank fill
1Ø9-A9	TRANSACTION COUNT	Ø1 – Ø4	М	
2Ø2-B2	SERVICE PROVIDER ID QUALIFIER	Ø1 = National Provider ID	М	
2Ø1-B1	SERVICE PROVIDER ID		М	
4Ø1-D1	DATE OF SERVICE		М	
11Ø-AK	SOFTWARE VENDOR/CERTIFICATION ID	Blank fill	M	Blank fill

Claim Segment Questions	Check	Claim Reversal If Situational, Payer Situation
This Segment is always sent	X	

	Claim Segment Segment Identification (111-AM) = "Ø7"			Claim Reversal
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
455-EM	PRESCRIPTION/SERVICE REFERENCE NUMBER QUALIFIER	Ø1 = Rx Billing	M	Imp Guide: For Transaction Code of "B2", in the Claim Segment, the Prescription/Service Reference Number Qualifier (455-EM) is "1" (Rx Billing).
4Ø2-D2	PRESCRIPTION/SERVICE REFERENCE NUMBER		М	
436-E1	PRODUCT/SERVICE ID QUALIFIER	Ø1 = Universal Product Code (UPC) Ø3 = National Drug Code (NDC)	М	
4Ø7-D7	PRODUCT/SERVICE ID		M	
Ø3-D3	FILL NUMBER		М	

CLAIM REVERSAL ACCEPTED/APPROVED RESPONSE

GENERAL INFORMATION

5.

Payer Name: Agelity	Date: 07/01/2020	
Plan Name/Group Name: Agelity	BIN: See list above PCN: Blank fill	

CLAIM REVERSAL ACCEPTED/APPROVED RESPONSE

Response Transaction Header Segment Questions	Check	Claim Reversal – Accepted/Approved If Situational, Payer Situation
This Segment is always sent	X	

	Response Transaction Header Segment			Claim Reversal – Accepted/Approved
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
1Ø2-A2	VERSION/RELEASE NUMBER	DØ	M	
1Ø3-A3	TRANSACTION CODE	B2	M	Claim Reversal
1Ø9-A9	TRANSACTION COUNT	Same value as in request	M	
5Ø1-F1	HEADER RESPONSE STATUS	A = Accepted	M	
2Ø2-B2	SERVICE PROVIDER ID QUALIFIER	Same value as in request	M	
2Ø1-B1	SERVICE PROVIDER ID	Same value as in request	M	
4Ø1-D1	DATE OF SERVICE	Same value as in request	M	

Response Message Header Segment Questions	Check	Claim Billing/Claim Rebill Accepted/Paid (or Duplicate of Paid) If Situational, Payer Situation	
This Segment is always sent			
This Segment is situational	X	Provide general information when used for transmission-level messaging.	

	Response Message Segment Segment Identification (111-AM) = "2Ø"			Claim Billing/Claim Rebill – Accepted/Paid (or Duplicate of Paid)
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
5Ø4-F4	MESSAGE		RW	Imp Guide: Required if text is needed for clarification or detail.
				Payer Requirement: (any unique payer requirement(s))

Response Status Segment Questions	Check	Claim Reversal – Accepted/Approved If Situational, Payer Situation
This Segment is always sent	X	

	Response Status Segment Segment Identification (111-AM) = "21"			Claim Reversal – Accepted/Approved
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
112-AN	TRANSACTION RESPONSE STATUS	A = Approved S = Duplicate of Approved	М	
5Ø3-F3	AUTHORIZATION NUMBER		RW	Imp Guide: Required if needed to identify the transaction. Payer Requirement: Will contain the trace back number of the reversal.
526-FQ	ADDITIONAL MESSAGE INFORMATION		RW	Imp Guide: Required when additional text is needed for clarification or detail.
				Payer Requirement: Will be returned.

Response Claim Segment Questions	Check	Claim Reversal – Accepted/Approved	
		If Situational, <i>Payer Situation</i>	
This Segment is always sent	X		

	Response Claim Segment Segment Identification (111-AM) = "22"			Claim Reversal – Accepted/Approved
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
455-EM	PRESCRIPTION/SERVICE REFERENCE NUMBER QUALIFIER	1 = RxBilling	M	Imp Guide: For Transaction Code of "B2", in the Response Claim Segment, the Prescription/Service Reference Number Qualifier (455-EM) is "1" (Rx Billing).
4Ø2-D2	PRESCRIPTION/SERVICE REFERENCE		М	

CLAIM REVERSAL ACCEPTED/REJECTED RESPONSE

CLAIM REVERSAL ACCEPTED/REJECTED RESPONSE

6.

Transaction Header Segment Questions	Check	Claim Reversal - Accepted/Rejected				
		If Situational, <i>Payer Situation</i>				
This Segment is always sent	X					

	Transaction Header Segment			Claim Reversal – Accepted/Rejected
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
1Ø2-A2	VERSION/RELEASE NUMBER	DØ	M	
1Ø3-A3	TRANSACTION CODE	B2	M	Claim Reversal
1Ø9-A9	TRANSACTION COUNT	Same value as in request	M	
5Ø1-F1	HEADER RESPONSE STATUS	A = Accepted	M	
2Ø2-B2	SERVICE PROVIDER ID QUALIFIER	Same value as in request Ø1 = National Provider ID	М	
2Ø1-B1	SERVICE PROVIDER ID	Same value as in request	M	
4Ø1-D1	DATE OF SERVICE	Same value as in request	M	

Response Message Segment Questions	Check	Claim Reversal - Accepted/Rejected If Situational, Payer Situation
This Segment is always sent		
This Segment is situational	X	Will be returned on rejected claims when the error is at transmission-level.

	Response Message Segment Segment Identification (111-AM) = "2Ø"			Claim Reversal – Accepted/Rejected
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
5Ø4-F4	MESSAGE		RW	Imp Guide: Required if text is needed for clarification or detail.
				Payer Requirement: Will be returned when text information needs to be sent.

Response Status Segment Questions	Check	Claim Reversal - Accepted/Rejected If Situational, Payer Situation
This Segment is always sent	X	

	Response Status Segment Segment Identification (111-AM) = "21"			Claim Reversal – Accepted/Rejected
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
112-AN	TRANSACTION RESPONSE STATUS	R = Reject	M	
51Ø-FA	REJECT COUNT	Maximum count of 5.	R	
511-FB	REJECT CODE	NCPDP Reject Codes	R	
526-FQ	ADDITIONAL MESSAGE INFORMATION		RW	Imp Guide: Required when additional text is needed for clarification or detail.
				Payer Requirement: Will be returned.

Response Claim Segment Questions	Check	Claim Reversal - Accepted/Rejected If Situational. Paver Situation
This Segment is always sent	X	

	Response Claim Segment Segment Identification (111-AM) = "22"			Claim Reversal – Accepted/Rejected
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
455-EM	PRESCRIPTION/SERVICE REFERENCE NUMBER QUALIFIER	1 = RxBilling	М	Imp Guide: For Transaction Code of "B2", in the Response Claim Segment, the Prescription/Service Reference Number Qualifier (455-EM) is "1" (Rx Billing).

4Ø2-D2	PRESCRIPTION/SERVICE REFERENCE	М	
	NUMBER		

CLAIM REVERSAL REJECTED/REJECTED RESPONSE

CLAIM REVERSAL REJECTED/REJECTED RESPONSE

7.

CEAIN REVERSAL REGESTED RESISTANCE						
Transaction Header Segment Questions	Check	Claim Reversal - Rejected/Rejected				
		If Situational, <i>Payer Situation</i>				
This Segment is always sent	X					

	Transaction Header Segment			Claim Reversal – Rejected/Rejected
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
1Ø2-A2	VERSION/RELEASE NUMBER	DØ	M	
1Ø3-A3	TRANSACTION CODE	B2	M	Claim Reversal
1Ø9-A9	TRANSACTION COUNT	Same value as in request	М	
5Ø1-F1	HEADER RESPONSE STATUS	R = Rejected	M	
2Ø2-B2	SERVICE PROVIDER ID QUALIFIER	Same value as in request	М	
2Ø1-B1	SERVICE PROVIDER ID	Same value as in request	М	
4Ø1-D1	DATE OF SERVICE	Same value as in request	М	

Response Message Segment Questions	Check	Claim Reversal – Rejected/Rejected
		If Situational, <i>Payer Situation</i>
This Segment is always sent		
This Segment is situational	X	Will be returned on rejected claims when the error is at transmission-
		level.

	Response Message Segment Segment Identification (111-AM) = "2Ø"			Claim Reversal – Rejected/Rejected
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
5Ø4-F4	MESSAGE		RW	Imp Guide: Required if text is needed for clarification or detail.
				Payer Requirement: Will be returned when text information needs to be sent.

Response Status Segment Questions	Check	Claim Reversal - Rejected/Rejected If Situational, Payer Situation
This Segment is always sent	X	

	Response Status Segment Segment Identification (111-AM) = "21"			Claim Reversal – Rejected/Rejected
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
112-AN	TRANSACTION RESPONSE STATUS	R = Reject	М	
5Ø3-F3	AUTHORIZATION NUMBER		R	
51Ø-FA	REJECT COUNT	Maximum count of 5.	R	
511-FB	REJECT CODE	NCPDP Reject Codes	R	
546-4F	REJECT FIELD OCCURRENCE INDICATOR		RW	Imp Guide: Required if a repeating field is in error, to identify repeating field occurrence. Payer Requirement: Same as Imp
				Guide.
13Ø-UF	ADDITIONAL MESSAGE INFORMATION COUNT	Maximum count of 25.	RW	Imp Guide: Required if Additional Message Information (526-FQ) is used. Payer Requirement: Maximum count of 2 will be returned.
132-UH	ADDITIONAL MESSAGE INFORMATION QUALIFIER	Ø1 = Used for first line of free form text with no pre-defined structure. Ø2 = Used for second line of free form text with no pre-defined structure.	RW	Imp Guide: Required if Additional Message Information (526-FQ) is used. Payer Requirement: Only qualifier values cited will be returned.
526-FQ	ADDITIONAL MESSAGE INFORMATION		RW	Imp Guide: Required when additional text is needed for clarification or detail.

				Payer Requirement: Will be returned.
549-7F	HELP DESK PHONE NUMBER QUALIFIER	Ø3 = Processor/PBM	RW	Imp Guide: Required if Help Desk Phone Number (55Ø-8F) is used. Payer Requirement: Will be returned.
55Ø-8F	HELP DESK PHONE NUMBER		RW	Imp Guide: Required if needed to provide a support telephone number to the receiver. Paver Requirement: Will be returned.