

NCPDP Version D.0 Commercial Payer Sheet

GENERAL INFORMATION

Payer Name: ProCare	Date: 01/17/2023				
Plan Name/Group Name: Prescription Network	BIN: 025003	PCN: not required but check members card.			
Processor: ProCare Rx					
Effective as of: 02/01/2023	NCPDP Telecommunication S	NCPDP Telecommunication Standard Version/Release #: D.0			
NCPDP Data Dictionary Version Date: 07/2007	NCPDP External Code List V	NCPDP External Code List Version Date: 10/01/2020			
Contact/Information Source: https://www.mc-rx.com/pharmacy_For Provider Manuals					
Certification Testing Window: Not Required					
Provider Relations Help Desk Info: 800-699-3542 https://www.mc-rx.com					
Other versions supported: NONE					

OTHER TRANSACTIONS SUPPORTED

Payer: Please list each transaction supported with the segments, fields, and pertinent information on each transaction.

Transaction Code	Transaction Name
B1	Claim Billing
B2	Claim Reversals

FIELD LEGEND FOR COLUMNS

Payer Usage Column	Value	Explanation	Payer Situation Column
MANDATORY	М	The Field is mandatory for the Segment in the designated Transaction.	No
REQUIRED	R	The Field has been designated with the situation of "Required" for the Segment in the designated Transaction.	No
QUALIFIED REQUIREMENT	RW	"Required when". The situations designated have qualifications for usage ("Required if x", "Not required if y").	Yes

Fields that are not used in the Claim Billing/Claim Rebill transactions and those that do not have qualified requirements (i.e. not used) for this payer are excluded from the template.

CLAIM BILLING/CLAIM REBILL TRANSACTION

The following lists the segments and fields in a Claim Billing or Claim Rebill Transaction for the NCPDP *Telecommunication Standard Implementation Guide Version D.Ø*.

Transaction Header Segment Questions	Check	Claim Billing/Claim Rebill If Situational, Payer Situation
This Segment is always sent	Х	
Source of certification IDs required in Software	Х	
Vendor/Certification ID (11Ø-AK) is Not used		

	Transaction Header Segment			Claim Billing/Claim Rebill
Field #	NCPDP Field Name	Value	Pay	Payer Situation
			er	
			Usa	
			ge	
1Ø1-A1	BIN NUMBER	025003	М	
1Ø2-A2	VERSION/RELEASE NUMBER	DØ	М	
1Ø3-A3	TRANSACTION CODE	B1,B2	М	
1Ø4-A4	PROCESSOR CONTROL NUMBER	Check members card	М	Not all plans will utilize a PCN submit it found on card otherwise leave blank Procare does not require a PCN for processing unless it is a plan requirement. Always check members card
1Ø9-A9	TRANSACTION COUNT	1-4	М	
2Ø2-B2	SERVICE PROVIDER ID QUALIFIER	01 = National Provider ID	М	
2Ø1-B1	SERVICE PROVIDER ID	Pharmacy NPI	М	
4Ø1-D1	DATE OF SERVICE		М	

	Transaction Header Segment			Claim Billing/Claim Rebill
Field #	NCPDP Field Name	Value	Pay	Payer Situation
			er	
			Usa	
			ge	
11Ø-AK	SOFTWARE VENDOR/CERTIFICATION	Blank fill	М	Blank Fill
	ID			

Insurance Segment Questions	Check	Claim Billing/Claim Rebill If Situational, Payer Situation
This Segment is always sent	Х	

	Insurance Segment Segment Identification (111-AM) = "Ø4"			Claim Billing/Claim Rebill
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
3Ø2-C2	CARDHOLDER ID		М	
3Ø9-C9	ELIGIBILITY CLARIFICATION CODE		RW	Imp Guide: Required if needed for receiver inquiry validation and/or determination, when eligibility is not maintained at the dependent level. Required in special situations as defined by the code to clarify the eligibility of an individual, which may extend coverage. Payer Requirement: (any unique payer requirement(s))
3Ø1-C1	GROUP ID		М	On members card
3Ø3-C3	PERSON CODE		RW	<i>Imp Guide:</i> Required if needed to uniquely identify the family members within the Cardholder ID.
<mark>3Ø6-C6</mark>	PATIENT RELATIONSHIP CODE	1 = Cardholder (subscriber) 2 = Spouse 3 = Dependent (child) 4 = Other (Typically reserved for a dependent not definded as a child)	M	This FIELD IS MANDATORY for processing at ProCare

Patient Segment Questions	Check	Claim Billing/Claim Rebill If Situational, Payer Situation
This Segment is always sent	х	
This Segment is situational		

	Patient Segment Segment Identification (111-AM) = "Ø1"			Claim Billing/Claim Rebill
Field	NCPDP Field Name	Value	Payer Usage	Payer Situation
3Ø4-C4	DATE OF BIRTH		R	
3Ø5-C5	PATIENT GENDER CODE		R	
31Ø-CA	PATIENT FIRST NAME		R	
311-CB	PATIENT LAST NAME		R	
322-CM	PATIENT STREET ADDRESS		RW	
323-CN	PATIENT CITY ADDRESS		RW	
324-CO	PATIENT STATE / PROVINCE ADDRESS		RW	
325-CP	PATIENT ZIP/POSTAL ZONE		RW	
326-CQ	PATIENT PHONE NUMBER		RW	
35Ø-HN	PATIENT E-MAIL ADDRESS		RW	<i>Imp Guide:</i> May be submitted for the receiver to relay patient health care communications via the Internet when provided by the patient.

Claim Segment Questions	Check	Claim Billing/Claim Rebill If Situational, Payer Situation
This Segment is always sent	X	
This payer supports partial fills		
This payer does not support partial fills	х	

	Claim Segment Segment Identification (111-AM) = "Ø7"			Claim Billing/Claim Rebill
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
455-EM	PRESCRIPTION/SERVICE REFERENCE NUMBER QUALIFIER	01 = Rx Billing	M	Imp Guide: For Transaction Code of "B1", in the Claim Segment, the Prescription/Service Reference Number Qualifier (455-EM) is "1" (Rx Billing).
4Ø2-D2	PRESCRIPTION/SERVICE REFERENCE NUMBER		М	
436-E1	PRODUCT/SERVICE ID QUALIFIER	Ø3 = National Drug Code (NDC)	М	
4Ø7-D7	PRODUCT/SERVICE ID		M	
456-EN	ASSOCIATED PRESCRIPTION/SERVICE REFERENCE NUMBER			<i>Imp Guide:</i> Required if the "completion" transaction in a partial fill (Dispensing Status (343-HD) = "C" (Completed)).
				Required if the Dispensing Status (343-HD) = "P" (Partial Fill) and there are multiple occurrences of partial fills for this prescription.
457-EP	ASSOCIATED PRESCRIPTION/SERVICE DATE			<i>Imp Guide:</i> Required if the "completion" transaction in a partial fill (Dispensing Status (343-HD) = "C" (Completed)).
				Required if Associated Prescription/Service Reference Number (456-EN) is used.
				Required if the Dispensing Status (343-HD) = "P" (Partial Fill) and there are multiple occurrences of partial fills for this prescription.
442-E7	QUANTITY DISPENSED		R	
4Ø3-D3	FILL NUMBER		М	
4Ø5-D5	DAYS SUPPLY		R	
4Ø6-D6	COMPOUND CODE		R	
4Ø8-D8	DISPENSE AS WRITTEN (DAW)/PRODUCT SELECTION CODE		R	
414-DE	DATE PRESCRIPTION WRITTEN		R	
415-DF	NUMBER OF REFILLS AUTHORIZED		RW	
419-DJ	PRESCRIPTION ORIGIN CODE		RW	
354-NX	SUBMISSION CLARIFICATION CODE COUNT	Maximum count of 3.	RW	<i>Imp Guide:</i> Required if Submission Clarification Code (42Ø-DK) is used.
46Ø-ET	QUANTITY PRESCRIBED		RW	<i>Imp Guide:</i> Required when the transmission is for a Schedule II drug as defined in 21 CFR 1308.12 and per CMS-0055-F (Compliance Date 9/21/2020. Refer to the Version D.0 Editorial Document).
3Ø8-C8	OTHER COVERAGE CODE		RW	<i>Imp Guide:</i> Required if needed by receiver, to communicate a summation of other coverage information that has been collected from other payers.
429-DT	SPECIAL PACKAGING INDICATOR		RW	Imp Guide: Required if this field could result in differen coverage, pricing, or patient financial responsibility.
453-EJ	ORIGINALLY PRESCRIBED PRODUCT/SERVICE ID QUALIFIER		RW	<i>Imp Guide:</i> Required if Originally Prescribed Product/Service Code (455-EA) is used.
445-EA	ORIGINALLY PRESCRIBED PRODUCT/SERVICE CODE		RW	<i>Imp Guide:</i> Required if the receiver requests association to a therapeutic, or a preferred product substitution, or when a DUR alert has been resolved

	Claim Segment Segment Identification (111-AM) = "Ø7"			Claim Billing/Claim Rebill
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
				by changing medications, or an alternative service than what was originally prescribed.
446-EB	ORIGINALLY PRESCRIBED QUANTITY		RW	<i>Imp Guide:</i> Required if the receiver requests reporting for quantity changes due to a therapeutic substitution that has occurred or a preferred product/service substitution that has occurred, or when a DUR alert has been resolved by changing quantities.
454-EK	SCHEDULED PRESCRIPTION ID NUMBER		RW	<i>Imp Guide:</i> Required if necessary for state/federal/regulatory agency programs.
6ØØ-28	UNIT OF MEASURE		RW	Imp Guide: Required if necessary for state/federal/regulatory agency programs. Required if this field could result in different coverage, pricing, or patient financial responsibility.
418-DI	LEVEL OF SERVICE		RW	Imp Guide: Required if this field could result in different coverage, pricing, or patient financial responsibility.
461-EU	PRIOR AUTHORIZATION TYPE CODE	1 = Prior Authorization	RW	Imp Guide: Required if this field could result in different coverage, pricing, or patient financial responsibility.
462-EV	PRIOR AUTHORIZATION NUMBER SUBMITTED		RW	Imp Guide: Required if this field could result in different coverage, pricing, or patient financial responsibility.
995-E2	ROUTE OF ADMINISTRATION			Imp Guide: Required if specified in trading partner agreement.
996-G1	COMPOUND TYPE			Imp Guide: Required if specified in trading partner agreement.
147-U7	PHARMACY SERVICE TYPE			<i>Imp Guide:</i> Required when the submitter must clarify the type of services being performed as a condition for proper reimbursement by the payer.

Pricing Segment Questions	Check	Claim Billing/Claim Rebill If Situational, Payer Situation
This Segment is always sent	Х	

	Pricing Segment Segment Identification (111- AM) = "11"			Claim Billing/Claim Rebill
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
4Ø9-D9	INGREDIENT COST SUBMITTED		R	
412-DC	DISPENSING FEE SUBMITTED		RW	<i>Imp Guide:</i> Required if its value has an effect on the Gross Amount Due (43Ø-DU) calculation.
433-DX	PATIENT PAID AMOUNT SUBMITTED		RW	<i>Imp Guide:</i> Required if this field could result in different coverage, pricing, or patient financial responsibility.
438-E3	INCENTIVE AMOUNT SUBMITTED		RW	<i>Imp Guide:</i> Required if its value has an effect on the Gross Amount Due (43Ø-DU) calculation.
478-H7	OTHER AMOUNT CLAIMED SUBMITTED COUNT	Maximum count of 3.	RW	<i>Imp Guide:</i> Required if Other Amount Claimed Submitted Qualifier (479-H8) is used.
479-H8	OTHER AMOUNT CLAIMED SUBMITTED QUALIFIER		RW	<i>Imp Guide:</i> Required if Other Amount Claimed Submitted (48Ø-H9) is used.
48Ø-H9	OTHER AMOUNT CLAIMED SUBMITTED		RW	<i>Imp Guide:</i> Required if its value has an effect on the Gross Amount Due (43Ø-DU) calculation.

	Pricing Segment Segment Identification (111- AM) = "11"			Claim Billing/Claim Rebill
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
481-HA	FLAT SALES TAX AMOUNT SUBMITTED		RW	<i>Imp Guide:</i> Required if its value has an effect on the Gross Amount Due (43Ø-DU) calculation.
482-GE	PERCENTAGE SALES TAX AMOUNT SUBMITTED		RW	<i>Imp Guide:</i> Required if its value has an effect on the Gross Amount Due (43Ø-DU) calculation.
483-HE	PERCENTAGE SALES TAX RATE SUBMITTED		RW	<i>Imp Guide:</i> Required if Percentage Sales Tax Amount Submitted (482-GE) and Percentage Sales Tax Basis Submitted (484-JE) are used.
				Required if this field could result in different pricing.
				Required if needed to calculate Percentage Sales Tax Amount Paid (559-AX).
484-JE	PERCENTAGE SALES TAX BASIS SUBMITTED		RW	<i>Imp Guide:</i> Required if Percentage Sales Tax Amount Submitted (482-GE) and Percentage Sales Tax Rate Submitted (483-HE) are used.
				Required if this field could result in different pricing.
				Required if needed to calculate Percentage Sales Tax Amount Paid (559-AX).
426-DQ	USUAL AND CUSTOMARY CHARGE		RW	<i>Imp Guide:</i> Required if needed per trading partner agreement.
43Ø-DU	GROSS AMOUNT DUE		R	
423-DN	BASIS OF COST DETERMINATION		RW	<i>Imp Guide:</i> Required if needed for receiver claim/encounter adjudication.

Pharmacy Provider Segment Questions	Check	Claim Billing/Claim Rebill If Situational, Payer Situation
This Segment is always sent		
This Segment is situational	Х	

	Pharmacy Provider Segment Segment Identification (111-AM) = "Ø2"			Claim Billing/Claim Rebill
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
465-EY	PROVIDER ID QUALIFIER		RE	<i>Imp Guide:</i> Required if Provider ID (444- E9) is used.
444-E9	PROVIDER ID		RW	Imp Guide: Required if necessary for state/federal/regulatory agency programs. Required if necessary to identify the individual responsible for dispensing of the prescription. Required if needed for reconciliation of encounter-reported data or encounter reporting.

Prescriber Segment Questions	Check	Claim Billing/Claim Rebill If Situational, Payer Situation
This Segment is always sent	X	
This Segment is situational		

	Prescriber Segment Segment Identification (111- AM) = "Ø3"			Claim Billing/Claim Rebill
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
466-EZ	PRESCRIBER ID QUALIFIER	Ø1 = NATIONAL PROVIDER ID	R	Imp Guide: Required if Prescriber ID (411-DB) is used.
411-DB	PRESCRIBER ID	Physician's NPI number	R	Imp Guide: Required if this field could result in different coverage or patient financial responsibility. Required if necessary for state/federal/regulatory agency programs.
427-DR	PRESCRIBER LAST NAME		М	<i>Imp Guide:</i> Required when the Prescriber ID (411-DB) is not known.
				Required if needed for Prescriber ID (411-DB) validation/clarification.
498-PM	PRESCRIBER PHONE NUMBER		RW	Imp Guide: Required if needed for Workers' Compensation.
				Required if needed to assist in identifying the prescriber.
				Required if needed for Prior Authorization process.
468-2E	PRIMARY CARE PROVIDER ID QUALIFIER		RW	<i>Imp Guide:</i> Required if Primary Care Provider ID (421- DL) is used.
421-DL	PRIMARY CARE PROVIDER ID		RW	<i>Imp Guide:</i> Required if needed for receiver claim/encounter determination, if known and available.
				Required if this field could result in different coverage or patient financial responsibility.
				Required if necessary for state/federal/regulatory agency programs.
47Ø-4E	PRIMARY CARE PROVIDER LAST NAME		RW	<i>Imp Guide:</i> Required if this field is used as an alternative for Primary Care Provider ID (421-DL) when ID is not known.
				Required if needed for Primary Care Provider ID (421- DL) validation/clarification.
364-2J	PRESCRIBER FIRST NAME		RW	<i>Imp Guide:</i> Required if needed to assist in identifying the prescriber.
				Required if necessary for state/federal/regulatory agency programs.
365-2K	PRESCRIBER STREET ADDRESS		RW	<i>Imp Guide:</i> Required if needed to assist in identifying the prescriber.
				Required if necessary for state/federal/regulatory agency programs.
366-2M	PRESCRIBER CITY ADDRESS		RW	<i>Imp Guide:</i> Required if needed to assist in identifying the prescriber.
				Required if necessary for state/federal/regulatory agency programs.
367-2N	PRESCRIBER STATE/PROVINCE ADDRESS		RW	<i>Imp Guide:</i> Required if needed to assist in identifying the prescriber.
				Required if necessary for state/federal/regulatory agency programs.

	Prescriber Segment Segment Identification (111- AM) = "Ø3"			Claim Billing/Claim Rebill
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
368-2P	PRESCRIBER ZIP/POSTAL ZONE		RW	Imp Guide: Required if needed to assist in identifying the prescriber. Required if necessary for state/federal/regulatory agency programs.

Coordination of Benefits/Other Payments Segment Questions	Check	Claim Billing/Claim Rebill If Situational, Payer Situation
This Segment is always sent		
This Segment is situational	Х	Required only for secondary, tertiary, etc claims.
Scenario 1 - Other Payer Amount Paid Repetitions Only		
Scenario 2 - Other Payer-Patient Responsibility Amount	X	
Repetitions and Benefit Stage Repetitions Only		
Scenario 3 - Other Payer Amount Paid, Other Payer-		
Patient Responsibility Amount, and Benefit Stage		
Repetitions Present (Government Programs)		

the Payer supports the Coordination of Benefits/Other Payments Segment, only one scenario method shown above may be supported per template. The template shows the C oordination of Benefits/Other Payments Segment that must be used for each scenario method. The Payer must choose the appropriate scenario method with the segment chart, and delete the other scenario methods with their segment charts. See section <u>Coordination of Benefits (COB) Processing</u> for more information.

	Coordination of Benefits/Other Payments Segment Segment Identification (111- AM) = "Ø5"			Claim Billing/Claim Rebill Scenario 2- Other Payer-Patient Responsibility Amount Repetitions and Benefit Stage Repetitions Only
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
337-4C	COORDINATION OF BENEFITS/OTHER PAYMENTS COUNT	Maximum count of 9.	М	
338-5C	OTHER PAYER COVERAGE TYPE		M	
339-6C	OTHER PAYER ID QUALIFIER		R	Imp Guide: Required if Other Payer ID (34Ø-7C) is used.
34Ø-7C	OTHER PAYER ID		R	<i>Imp Guide:</i> Required if identification of the Other Payer is necessary for claim/encounter adjudication.
443-E8	OTHER PAYER DATE		R	<i>Imp Guide:</i> Required if identification of the Other Payer Date is necessary for claim/encounter adjudication.
471-5E	OTHER PAYER REJECT COUNT	Maximum count of 5.	RW	<i>Imp Guide:</i> Required if Other Payer Reject Code (472-6E) is used.
472-6E	OTHER PAYER REJECT CODE		RW	<i>Imp Guide:</i> Required when the other payer has denied the payment for the billing.
351-NP	OTHER PAYER-PATIENT RESPONSIBILITY AMOUNT QUALIFIER		RW	<i>Imp Guide:</i> Required if Other Payer-Patient Responsibility Amount (352-NQ) is used.
352-NQ	OTHER PAYER-PATIENT RESPONSIBILITY AMOUNT		RW	Imp Guide: Required if necessary for patient financial responsibility only billing.
				Required if necessary for state/federal/regulatory agency programs.

	Coordination of Benefits/Other Payments Segment Segment Identification (111- AM) = "Ø5"			Claim Billing/Claim Rebill Scenario 2- Other Payer-Patient Responsibility Amount Repetitions and Benefit Stage Repetitions Only
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
				Not used for non-governmental agency programs if Other Payer Amount Paid (431-DV) is submitted.

Compound Segment Questions	Check	Claim Billing/Claim Rebill If Situational, Payer Situation
This Segment is always sent		
This Segment is situational	Х	Required when Compound Code $(4\emptyset6-D6) = 2$ (compound).

	Compound Segment Segment Identification (111-AM) = "1Ø"			Claim Billing/Claim Rebill
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
45Ø-EF	COMPOUND DOSAGE FORM DESCRIPTION CODE		RW	
451-EG	COMPOUND DISPENSING UNIT FORM		RW	
447-EC	COMPOUND INGREDIENT COMPONENT COUNT	Maximum 10 ingredients	RW	Maximum 10 ingredients
488-RE	COMPOUND PRODUCT ID QUALIFIER		RW	
489-TE	COMPOUND PRODUCT ID		RW	
448-ED	COMPOUND INGREDIENT QUANTITY		RW	
449-EE	COMPOUND INGREDIENT DRUG COST		RW	<i>Imp Guide:</i> Required if needed for receiver claim determination when multiple products are billed.
49Ø-UE	COMPOUND INGREDIENT BASIS OF COST DETERMINATION		RW	<i>Imp Guide:</i> Required if needed for receiver claim determination when multiple products are billed.
362-2G	COMPOUND INGREDIENT MODIFIER CODE COUNT		RW	<i>Imp Guide:</i> Required when Compound Ingredient Modifier Code (363-2H) is sent.
363-2H	COMPOUND INGREDIENT MODIFIER CODE		RW	Imp Guide: Required if necessary for state/federal/regulatory agency programs.

CLAIM REVERSAL REQUEST

GENERAL INFORMATION

Payer Name: ProCare	Date: 01/17/2023	
Plan Name/Group Name: Prescription Network	BIN: 025003	PCN: not required but check
		members card.

OTHER TRANSACTIONS SUPPORTED

Payer: Please list each transaction supported with the segments, fields, and pertinent information on each transaction.

Transaction Code	Transaction Name
B1	Billing
B2	Claim Reversal

	FIE	LD LEGEND FOR COLUMNS	
Payer Usage Column	Value	Explanation	Payer Situation Column
MANDATORY	М	The Field is mandatory for the Segment in the designated Transaction.	No
REQUIRED	R	The Field has been designated with the situation of "Required" for the Segment in the designated Transaction.	
QUALIFIED REQUIREMENT	RW	"Required when". The situations designated have qualifications for usage ("Required if x", "Not required if y").	

CLAIM REVERSAL TRANSACTION

Transaction Header Segment Questions		Claim Reversal
		If Situational, Payer Situation
This Segment is always sent	X	
Source of certification IDs required in Software Vendor/Certification ID (11Ø-AK) is Payer Issued		
Source of certification IDs required in Software Vendor/Certification ID (11Ø-AK) is Switch/VAN issued		
Source of certification IDs required in Software Vendor/Certification ID (11Ø-AK) is Not used	X	

	Transaction Header Segment			Claim Reversal
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
1Ø1-A1	BINNUMBER	See list above	М	BIN for plan
1Ø2-A2	VERSION/RELEASE NUMBER	DØ	М	
1Ø3-A3	TRANSACTION CODE	B2	М	Claim Reversal
1Ø4-A4	PROCESSOR CONTROL NUMBER	See list above	М	
1Ø9-A9	TRANSACTION COUNT	Ø1 – Ø4	М	
2Ø2-B2	SERVICE PROVIDER ID QUALIFIER	Ø1 = National Provider ID	М	
2Ø1-B1	SERVICE PROVIDER ID		М	
4Ø1-D1	DATE OF SERVICE		М	
11Ø-AK	SOFTWARE VENDOR/CERTIFICATION ID	Blank fill	М	Blank fill

Claim Segment Questions	Check	Claim Reversal If Situational, Payer Situation
This Segment is always sent	X	

	Claim Segment Segment Identification (111- AM) = "Ø7"			Claim Reversal
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
	PRESCRIPTION/SERVICE REFERENCE NUMBER QUALIFIER	Ø1 = Rx Billing	Μ	<i>Imp Guide:</i> For Transaction Code of "B2", in the Claim Segment, the Prescription/Service Reference Number Qualifier (455-EM) is "1" (Rx Billing).
	PRESCRIPTION/SERVICE REFERENCE NUMBER		М	
	PRODUCT/SERVICE ID QUALIFIER	Ø1 = Universal Product Code (UPC) Ø3 = National Drug Code (NDC)	Μ	
4Ø7-D7	PRODUCT/SERVICE ID		М	
4Ø3-D3	FILL NUMBER		М	

CLAIM REVERSAL ACCEPTED/APPROVED RESPONSE GENERAL INFORMATION

Payer Name: ProCare	Date: 01/17/2023	
Plan Name/Group Name: Prescription Network	BIN: 025003	PCN: not required but check
		members card.

OTHER TRANSACTIONS SUPPORTED

Payer: Please list each transaction supported with the segments, fields, and pertinent information on each transaction.

Transaction Code	Transaction Name
B1	Billing
B2	Claim Reversal

	Response Transaction Header Segment			Claim Reversal – Accepted/Approved
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
1Ø2-A2	VERSION/RELEASE NUMBER	DØ	М	
1Ø3-A3	TRANSACTION CODE	B2	М	Claim Reversal
1Ø9-A9	TRANSACTION COUNT	Same value as in request	М	
5Ø1-F1	HEADER RESPONSE STATUS	A = Accepted	М	
2Ø2-B2	SERVICE PROVIDER ID QUALIFIER	Same value as in request	М	
2Ø1-B1	SERVICE PROVIDER ID	Same value as in request	М	
4Ø1-D1	DATE OF SERVICE	Same value as in request	М	

Response Message Header Segment Questions	Check	Claim Billing/Claim Rebill Accepted/Paid (or Duplicate of Paid) If Situational, <i>Payer Situation</i>
This Segment is always sent		
This Segment is situational	X	Provide general information when used for transmission-level messaging.

	Response Message Segment Segment Identification (111-AM) = "2Ø"			Claim Billing/Claim Rebill – Accepted/Paid (or Duplicate of Paid)
Field #	NCPDP Field Name	Value	Payer	Payer Situation
			Usage	
5Ø4-	MESSAGE		RW	
F4				

Response Status Segment Questions	Check	Claim Reversal – Accepted/Approved If Situational, Payer Situation
This Segment is always sent	X	

	Response Status Segment Segment Identification (111-AM) = "21"			Claim Reversal – Accepted/Approved
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
112-AN	TRANSACTION RESPONSE STATUS	A = Approved S = Duplicate of	М	
5Ø3-F3	AUTHORIZATION NUMBER		RW	
526-FQ	ADDITIONAL MESSAGE INFORMATION		RW	

Response Claim Segment Questions	Check	Claim Reversal – Accepted/Approved If Situational, Payer Situation
This Segment is always sent	X	

	Response Claim Segment Segment Identification (111-AM) = "22"			Claim Reversal – Accepted/Approved
Field #	NCPDP Field Name	Value	Payer	Payer Situation
			Usage	
455-	PRESCRIPTION/SERVICE REFERENCE	1 = RxBilling	М	
EM	NUMBER QUALIFIER			
4Ø2-	PRESCRIPTION/SERVICE REFERENCE		М	
D2	NUMBER			

1.1.1.1 CLAIM REVERSAL ACCEPTED/REJECTED RESPONSE

CLAIM REVERSAL ACCEPTED/REJECTED RESPONSE				
Transaction Header Segment Check Claim Reversal - Accepted/Rejected				
Questions		If Situational, Payer Situation		
This Segment is always sent	X			

	Transaction Header Segment			Claim Reversal – Accepted/Rejected
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
1Ø2-A2	VERSION/RELEASE NUMBER	DØ	M	
1Ø3-A3	TRANSACTION CODE	B2	М	Claim Reversal
1Ø9-A9	TRANSACTION COUNT	Same value as in request	М	
5Ø1-F1	HEADER RESPONSE STATUS	A = Accepted	М	
2Ø2-B2	SERVICE PROVIDER ID QUALIFIER	Same value as in request Ø1 = National Provider ID	М	
2Ø1-B1	SERVICE PROVIDER ID	Same value as in request	М	
4Ø1-D1	DATE OF SERVICE	Same value as in request	М	

Response Message Segment Questions	Check	Claim Reversal - Accepted/Rejected

		If Situational, Payer Situation
This Segment is always sent		
This Segment is situational	X	Will be returned on rejected claims when the error is at transmission-level.

	Response Message Segment Segment Identification (111-AM) = "2Ø"			Claim Reversal – Accepted/Rejected
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
5Ø4-F4	MESSAGE		RW	

Response Status Segment Questions	Check	Claim Reversal - Accepted/Rejected If Situational, Payer Situation
This Segment is always sent	X	

	Response Status Segment Segment Identification (111-AM) = "21"			Claim Reversal – Accepted/Rejected
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
112- AN	TRANSACTION RESPONSE STATUS	R = Reject	М	
51Ø- FA	REJECT COUNT	Maximum count of 5.	R	
511- FB	REJECT CODE	NCPDP Reject Codes	R	
526- FQ	ADDITIONAL MESSAGE INFORMATION		RW	

Response Claim Segment Check		Claim Reversal - Accepted/Rejected
Questions		If Situational, Payer Situation
This Segment is always sent	X	

	Response Claim Segment Segment Identification (111-AM) = "22"			Claim Reversal – Accepted/Rejected
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
455-EM	PRESCRIPTION/SERVICE REFERENCE NUMBER QUALIFIER	1 = RxBilling	М	
4Ø2-D2	PRESCRIPTION/SERVICE REFERENCE NUMBER		М	

1.1.1.2 CLAIM REVERSAL REJECTED/REJECTED RESPONSE

CLAIM REVERSAL REJECTED/REJECTED RESPONSE

Transaction Header Segment Questions	Check	Claim Reversal - Rejected/Rejected				
		If Situational, Payer Situation				
This Segment is always sent	X					

	Transaction Header Segment			Claim Reversal – Rejected/Rejected
Field #	NCPDP Field Name	Value	Payer	Payer Situation
			Usage	
1Ø2-	VERSION/RELEASE NUMBER	DØ	M	
A2				
1Ø3-	TRANSACTION CODE	B2	M	Claim Reversal
A3				
1Ø9-	TRANSACTION COUNT	Same value as in	М	
A9		reqest		

	Transaction Header Segment			Claim Reversal – Rejected/Rejected
Field #	NCPDP Field Name	Value	Payer	Payer Situation
			Usage	
5Ø1-	HEADER RESPONSE STATUS	R = Rejected	М	
F1				
2Ø2-	SERVICE PROVIDER ID QUALIFIER	Same value as in	M	
B2		request		
2Ø1-	SERVICE PROVIDER ID	Same value as in	M	
B1		request		
4Ø1-	DATE OF SERVICE	Same value as in	М	
D1		request		

Response Message Segment Questions	Check	Claim Reversal – Rejected/Rejected If Situational, Payer Situation
This Segment is always sent		
This Segment is situational	X	Will be returned on rejected claims when the error is at transmission-level.

	Response Message Segment Segment Identification (111-AM) = "2Ø"			Claim Reversal – Rejected/Rejected
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
5Ø4-F4	MESSAGE		RW	

Response Status Segment Questions	Check	Claim Reversal - Rejected/Rejected If Situational, <i>Payer Situation</i>		
This Segment is always sent	X			

	Response Status Segment Segment Identification (111-AM) = "21"			Claim Reversal – Rejected/Rejected
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
112-AN	TRANSACTION RESPONSE STATUS	R = Reject	М	
5Ø3-F3	AUTHORIZATION NUMBER		R	
51Ø-FA	REJECT COUNT	Maximum count of 5.	R	
511-FB	REJECT CODE	NCPDP Reject Codes	R	
546-4F	REJECT FIELD OCCURRENCE INDICATOR		RW	
13Ø-UF	ADDITIONAL MESSAGE	Maximum count of 25.	RW	
132-UH	ADDITIONAL MESSAGE INFORMATION QUALIFIER	 Ø1 = Used for first line of free form text with no pre-defined structure. Ø2 = Used for second line of free form text with no pre- defined structure. 	RW	
526-FQ	ADDITIONAL MESSAGE		RW	
549-7F	HELP DESK PHONE NUMBER QUALIFIER	Ø3 = Processor/PBM	RW	
55Ø-8F	HELP DESK PHONE NUMBER		RW	